

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

|  |  |  |                               |
|--|--|--|-------------------------------|
| <b>Establishment Name</b><br>RAINBOW BLOSSOM NATURAL FOOD MKT        | <b>Telephone Number</b><br>Est 812-941-0080<br>Own (502) 498-2333  | <b>Date of Inspection</b><br>08/10/2020        | <b>ID#</b>                    |
| <b>Address</b><br>3003-B CHARLESTOWN CROSSING WAY, NEW ALBAI         | <b>Purpose</b><br><input checked="" type="checkbox"/> Routine<br><input type="checkbox"/> Follow-up<br><input type="checkbox"/> Complaint<br><input type="checkbox"/> Pre-Operational<br><input type="checkbox"/> Temporary<br><input type="checkbox"/> HACCP<br><input type="checkbox"/> Other (list) | <b>Follow Up</b>                               | <b>Released</b><br>08/10/2020 |
| <b>Owner</b><br>SUMMER AUERBACH                                      |  | <b>Menu Type</b><br>1 _ 2 <u>X</u> 3 _ 4 _ 5 _ |                               |
| <b>Owner's Address</b><br>3738 LEXINGTON ROAD LOUISVILLE, KY 40207-  |  |  |                               |
| <b>Person in Charge</b><br>JILL GOTTING                              |  |  |                               |
| <b>Responsible Person's Email</b><br>NIKKI.PULFER@RAINBOWBLOSSOM.COM |  |  |                               |
| <b>Certified Food Handler</b><br>NIKKI PULFER                        |  |  |                               |

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

| Section # | C | NC | R | Narrative  | To Be Corrected |
|-----------|---|----|---|--|-----------------|
| 136       | X |    |   | Observed open employee drink on BOH weighing station.  | CORRECTED       |
| 344       | X |    |   | Observed BOH handsink to not be easily accessible. Similarly, a handsoap and hand towel dispenser (along with signage) have been placed over wash basin of 3-compartment sink.         | CORRECTED       |
| 438       | X |    |   | Observed (2) nearly empty chemical spray bottles (red nozzles) in BOH dumpsink lacking common name labeling.   | CORRECTED       |
| 177       |   | X  |   | Observed product stored directly on walk-in cooler and freezer ground.   | CORRECTED       |
| 431       |   | X  |   | Observed dust in retail cooler "grates".   | CORRECTED       |
| 291       |   | X  |   | Observed store without sanitizer concentration test strips. Store has pH test strips that appear similar. Store requires both quat, ammonia and chlorine, as both sanitizers are used. | 1 WEEKS         |

**Summary of Violations**      C   3        NC   3        R   0  

|   |  |
|---|--|
| Received by (name and title printed):<br>JILL GOTTING | Inspected by (name and title printed):<br>A.J. Ingram CHIEF FOOD SPECIALIST  |
| Received by (signature):                              | Inspected by (signature):<br> |
| cc:   | cc:  |